



More information on the website  
[mirror.radwag.com/ja/info,w1,GDY](http://mirror.radwag.com/ja/info,w1,GDY)

# PUE 7.1P

WX-008-0026



The drawings, photos and graphics used are for illustrative purposes only.

## Table

Table	
Table	Table
Table	215×156×120 mm
Table	300×250×130 mm
Table	0,8 kg
Table	2,75 kg
Table	
Table	front IP 66/67, Table 32
Table	Table
Table	Table
Table	
Table	2×RS232, 2×USB-A, Ethernet, 4 IN / 4 OUT (OUT)
Table DP6 A/C	1 Table
Table	
Table	50 Ω

<div style="background-color: #cccccc; padding: 2px;"> <b>物理特性</b> </div>	
电阻	1200 Ω
电压	5V DC
电压	19,5 mV
<div style="background-color: #cccccc; padding: 2px;"> <b>环境</b> </div>	
温度	-10 – +40 °C
湿度	10% – 85% RH 非冷凝
寿命	8
<div style="background-color: #cccccc; padding: 2px;"> <b>软件</b> </div>	
操作系统	Linux
处理器	quad-core 64-bit Cortex-A53 1,2 GHz
内存	RAM 1GB LPDDR2
存储	16 GB (micro SD)
<div style="background-color: #cccccc; padding: 2px;"> <b>其他</b> </div>	
重量	2



### 选件 (Additional Fee)

选件  
 选件  
 选件  
 RS 232 选件 (选件 - 选件)  
 选件  
 RS 232/RS 485 选件  
 选件

IN/OUT 选件  
 选件  
 RS 232/RS 485 选件  
 选件  
 RS 232 – USB 选件  
 RS 232 选件 (选件 - 选件)  
 选件

### 选件 (Additional Fee)

- [WX-010-0099]
- [WX-010-0051]
- RAD Key [WX-010-0005]
- [WX-010-0094]
- R-Lab [WX-010-0080]
- RADWAG Development Studio [WX-010-0104]

- [WX-010-0043]
- [WX-010-0038]
- [WX-010-0186]
- RADWAG Remote Desktop [WX-010-0107]
- [WX-010-0173]



