

H315.2K.300/600H Overhead Track Scale

WP-238-1002





The drawings, photos and graphics used are for illustrative purposes only.

Functions



Plus/Minus Control



Percent Weighing



Totalizing



Parts counting



Internal battery



Peak hold



Newton unit measurement




Animal weighing

Datasheet

| Maximum capacity [Max] | 300 / 600 kg | |
|------------------------|-------------------------|--|
| Minimum load | 2 kg | |
| Readability [d] | 0,1 / 0,2 kg | |
| Tare range | -600 kg | |
| OIML Class | III | |
| Physical parameters | | |
| Display | 4,3" LCD (backlit) | |
| Detection line span | L= 800 mm (min. 200 mm) | |

| Construction | |
|-----------------------------|---|
| Protection class | IP 66 / 69 construction, IP 66 / 67 / 69 terminal |
| Construction | Stainless steel AISI304 |
| | |
| Communication interface | RS232, USB |
| Optional interfaces | RS232 or RS485 or 4IN/40UT or Ethernet or analog output 4-20 mA |
| | |
| Power supply | 100 - 240 V AC 50/60 Hz |
| Optional power supply | internal rechargeable battery |
| Operation time on batteries | max 7h |
| | |
| Operating temperature | -10 - +40 °C |
| Relative humidity | 10% – 85% RH no condensation |



Accessories (Additional Fee)


RS 232 cables (scale - printer) Displays RS 232 cables (scale - Ethernet) RS 232, RS 485 cables Power Adapters RS 232 - Ethernet Converter USB adatper Receipt Printer USB cable (scale - printer) Stands, wall mounting kits and mounting brackets RS 232 – USB Converter

Software (Additional Fee)

• RAD Key [WX-010-0005]

• Scale Editor - EWAG 2.1 [WX-010-0173]


Device dimensions W x D x H



CAUTION

- Standard version of the weighing track length: L = 800 mm
- The truck in the place of assembling the scale has to be horizontal with a +/- 10mm tilt limit
- The dimensions bearing the letters are to be agreed with contractor manufacturing Z dimen sion; the dimensions can be omitted if the following relation is fulfilled: $Z \le 80\% D$

Dimensions of an overhead track scale with a shaft of Ø60 (standard version)



Minimum track clearance: A = 90 mm.

Weighing track length: $200 \le L \le 800$ mm. As a standard: L=800 mm.

Maximum capacity: 600 kg.